


# Salt Neutraliser

## Water based

An Ultra Low Disturbance  
Building Solution



Property Repair Systems  
01626 331351

### Introduction

Salt Neutraliser is water based, ready to apply, solution of acetic acid, for application to masonry, render and plaster.

It is also recommended as part of treatment after the insertion of a damp proof course to existing masonry, which should include replastering to an approved specification.

### Special features

- Kills salts inside masonry
- No mixing
- Non staining
- Odourless
- Non Flammable (conc. & dil.)
- 12 months shelf life

## DESCRIPTION

Salt Neutraliser is a clear aqueous solution designed to be applied directly to masonry, render or plaster that has been affected by ground water or efflorescing (white, fluffy) salts.

## TECHNICAL DATA

### Active Substance

Acetic Acid

### Other Components

Water

### Corrosion

Causes burns

### Aggressivity to other materials

Do not mix with other acids or alkalis

### Classification

Corrosive

**Property Repair Systems - 01626 331351**  
**Unit 3, Olympus Business Park, TQ12 2SN**

## USE

Use directly onto old masonry, render or plaster, or dilute 50:50 with water to apply to new plaster suffering from efflorescence.

## PREPARATION & APPLICATION

Brush away and remove all loose material from the surface.

Thoroughly soak the affected area with fresh water.

Apply Salt Neutraliser by brush or roller. For severe salting a second soaking and Salt Neutraliser application, after initial surface drying, is recommended.

Coverage - approximately 5 - 10 square metres per litre, per coat.

DCM – 08/11